



Product features

Audio wideband (200-7000 Hz)

4 simultaneous users in conference

300 m range in full duplex

12 h autonomy

Removable battery



Aircraft base station

Establishes communication between cockpit and ground crew

- Compatible to any aircraft
- Charging through USB-C
- Removable battery pack
- Cockpit isolation option



Wireless headset


Wireless connection to base station or another headset

- Noise reduction (-32 dB SNR)
- Vocal alarm
- Digital voice activated micro (VOX) option
- Digital Noise filtering option
- Bluetooth option



Beltpack

Compatible with any standard wired headset



Desktop

Designed for the supervision room

SAFETY & EFFICIENCY

Connection guaranteed in all circumstances

Full duplex for immediate response

No interference with other ground crew

Wireless for hand free using

Intuitive and user friendly

No lightning risk through aircraft

Free of movement with 300 m range

No latency time


AIRLINK 2085 Series

Ensure safety, enhance efficiency

Standard configuration



Headset to headset configuration



USE CASE

DE-ICING



DOCKING



PUSH BACK



MAINTENANCE

Our references



Where to find us



 global-sys.com

 sales@globalsys.fr

 +33 1 43 99 42 17

For technical details, product inquiries or custom requirements, our teams are here to help.

EUROPE & AFRICA

☎ +33 1 43 99 42 17

✉ sales.europe@globalsys.fr

📍 Bonneuil-sur-Marne, FRANCE

AMERICAS

☎ +1 (438) 448-7833

✉ sales.americas@globalsys.fr

📍 Montreal, CANADA

ASIA & PACIFIC

☎ +84 9 485 402 26

✉ sales.asiapacific@globalsys.fr

📍 Ho Chi Minh City, VIETNAM

